



Jan Veenhuis

gravel dump trailer



Jan Veenhuis Machinefabriek B.V.

Heesweg 45 8102 NB Raalte - The Netherlands

Phone: +31 (0)572 36 36 29

www.jan-veenhuis.com / info@jan-veenhuis.com



Standard:

Heavy duty pivoting draw bar coupler eye made of special steel and no welds, is specially developed and produced by Jan Veenhuis.



Standard:

Specially designed by us, the double beamed pivoting tandem axle with:

- Eccentrically positioned main axle.
- Main axle with easy to replace nylon bushings.
- Central lubrication of the main axle.
- 54% of the total weight on the rear tires.
- 46% of the total weight on the front tires.



Standard:

Nylon bushings in main axle pivot are easy to replace by unbolting the retainer. A central lubrication bank makes servicing the tandem easy.

JVZK 15.000 - JVZK 23.000

Standard:

- Hydraulic jack stand.
- Dump box is made of 6 mm steel.
- Hydraulic brakes on all wheels.
- Rear tail lights.
- Pivoting draw bar coupler eye.
- Tapered dump box.

Technical information:

Type:	Load capacity:	Dimensions:	Cylinder:
JVZK 8.000	8.000 kg.	400 x 200 x 40 cm	18 liter
JVZK 10.000	10.000 kg.	400 x 200 x 55 cm	18 liter
JVZK 15.000	15.000 kg.	425 x 230 x 70 cm	30 liter
JVZK 19.000	19.000 kg.	450 x 230 x 90 cm	33 liter
JVZK 21.000	21.000 kg.	450 x 230 x 100 cm	33 liter
JVZK 23.000	23.000 kg.	525 x 230 x 100 cm	35 liter
JVZK 30.000	30.000 kg.	650 x 230 x 110 cm	78 liter
JVZK 36.000	36.000 kg.	670 x 230 x 130 cm	94 liter



JVZK 30.000 - JVZK 36.000

Standard:

- Hydraulic suspension in combination with heavy duty triangle system.
- Hydraulic jack stand.
- Dump box is made of 6 mm steel.
- Air brakes on all wheels.
- LED lightning.
- Scharmüller K80 coupler eye.
- Tapered dump box.

Option:

Hydraulic forced steered tandem:

- Pulls easier (less fuel, more capacity).
- Trailer is more stable going around curves versus an spring axle undercarriage.
- Stays in contact with the road and gives you more manoeuvrability.



Option:

Benefits of the hydraulically suspended drawbar:

- Pulls easier.
- Smooth ride.
- Saves fuel.



Option:

All gravel dump trailers are also available as a tri-way dump trailer.

Option:

Hydraulic load cover system.





JVZK 10.000



JVZK 21.000



JVZK 22.000 "Kuip"



JVZK 23.000



JVZK 30.000



JVZK 36.000

CE-Mark: all machines are supplied in accordance with the provisions of the Machinery Directive (89/392 EEC, gewijzigd 91/368 EEC, 93/68 EEC). Photos and sizes may vary.